

L Number	Hits	Search Text	DB	Time stamp
2	1	("5870420").PN.	USPAT	2004/06/17 09:17
1	78	(fan) and (gas adj3 laser) and electrode and speed and (rotate or rotating or rotation) and bearing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:15
3	3	((("5109181") or ("5497049") or ("6545430"))).PN.	USPAT	2004/06/17 09:15
4	426	372/58.ccls.	USPAT	2004/06/17 09:17
6	2	((("6018537") or ("5870420") or ("6018537") or ("6018537") or ("5870420"))).PN.	USPAT	2004/06/17 09:20
5	541	372/58.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:24
7	151	372/54.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:22
8	1264	372/55.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:22
9	639	372/57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:22
10	387	372/59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:22
11	114	372/58.ccls. and ((diameter) and speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:24
12	36	372/58.ccls. and ((diameter) and speed and mm and "m/s")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:26
13	112	372/55-59.ccls. and ((diameter) and speed and mm and "m/s")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/17 09:27
-	356	372/59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:47
-	1182	372/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:48
-	141	372/54.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:48
-	64	372/63, 64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:50
-	1131	once adj3 through and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:50
-	12759	blow and fan and flow	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:51
-	2	372/34,54,58,59,63,64.ccls. and (once adj3 through and fan)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:53
-	1	"4206429".PN.	USPAT	2003/01/03 12:51

-	1	"4206429".PN.	USPAT	2003/01/03 12:52
-	1	4686680.URPN.	USPAT	2003/01/03 12:52
-	9	372/34,54,58,59,63,64.ccls. and (blow and fan and flow)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:59
-	496	372/58.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 12:53
-	17	372/34,54,58,59,63,64.ccls. and (cross adj2 flow and fan)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 13:00
-	39	(cross adj2 flow and fan) and gas adj3 laser and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 13:02
-	9	(cross adj2 flow and fan) and gas adj3 laser and electrode and diameter and speed and chamber and (rotate or rotating) and bearing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 13:06
-	10	(cross adj2 flow and fan) and gas adj3 laser and electrode and diameter and speed and chamber and (rotate or rotating)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 13:06
-	114	gas adj3 laser and fan and electrode and diameter and speed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/03 13:07
-	2664	(gas near3 laser or excimer near3 laser) and (blower or fan)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 08:13
-	1177	(gas near3 laser or excimer near3 laser) and (blower or fan) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 08:35
-	260	(gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 08:38
-	43	(US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2003/01/07 08:50

-	36	((gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed) and ((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 09:25
-	18	((gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed) and ((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 09:26
-	3	and (diameter and nm and speed ) ((gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed) and ((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.) and (diameter and nm and speed and m/s)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 09:28

-	3	((gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed) and ((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.) and (Hz and diameter and nm and speed and m/s )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 09:30
-	13	((gas near3 laser or excimer near3 laser) and (blower or fan) and electrode and diameter and speed) and ((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.) and (Hz and diameter and nm and speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 11:57
-	37	(speed or rotation) and (((US-6337872-\$ or US-4686680-\$ or US-6034978-\$ or US-6363094-\$ or US-5870420-\$ or US-5373523-\$ or US-4953176-\$ or US-6477193-\$ or US-6414979-\$ or US-6370174-\$ or US-6330260-\$ or US-6317447-\$ or US-6240117-\$ or US-6018537-\$ or US-5461636-\$ or US-5029177-\$ or US-5033055-\$ or US-5027366-\$ or US-5023884-\$ or US-4959840-\$ or US-4899363-\$ or US-4571730-\$ or US-6442181-\$ or US-6026103-\$ or US-6466602-\$ or US-6381257-\$).did. or (US-6320892-\$ or US-6330261-\$ or US-6321448-\$ or US-6240112-\$ or US-6128323-\$ or US-5845504-\$ or US-4686682-\$ or US-6151349-\$ or US-4635269-\$).did. or (US-20020044587-\$ or US-20010033593-\$ or US-20010012310-\$ or US-20020044586-\$).did. or (JP-04023376-\$ or JP-01140689-\$).did. or (US-20010012310-\$ or WO-200201685-\$).did.))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 11:58
-	6	(diameter near3 fan near3 mm) and laser and speed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:27
-	7	(diameter near3 fan near3 mm) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:31

-	0	("4" near3 khz) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:32
-	922	((("4" or "4000") near3 khz) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:33
-	101	((("4" or "4000") near3 khz) and laser and (fan or blower)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:35
-	52	((("4" or "4000") near3 khz) and laser and (fan or blower) and (mm)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:35
-	45	((("4" or "4000") near3 khz) and laser and (fan or blower) and (mm) and (speed or velocity or m adj s)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:36
-	45	((("4" or "4000") near3 khz) and laser and (fan or blower) and (mm) and (speed or velocity or (m adj s))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:37
-	45	((("4" or "4000") near3 khz) and laser and (fan or blower) and (mm) and (speed or velocity or (m adj s) or rpm)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 16:39
-	9923	((("4500" or "5000")adj2 rpm)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:41
-	183	((("4500" or "5000")adj2 rpm) and ("m/s")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:42
-	2105	((("4500" or "5000")adj2 rpm) and ("m/s") and gas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:42
-	69	((("4500" or "5000")adj2 rpm) and ("m/s") and gas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:46
-	527	372/58.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:54
-	9634	fan and diameter and speed and gas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:55
-	95	fan and diameter and speed and gas and rpm and "m/s"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 08:55
-	56	fan and diameter and speed and gas and rpm and "m/s" and bearing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 09:02
-	30	fan and diameter and speed and gas and rpm and "m/s" and bearing and ("4000" or "4500" or "5000")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/31 09:22
-	4	((("6026103") or ("6567450") or ("6337872") or ("6317447"))).PN.	USPAT	2003/12/31 09:27
-	413	372/55.ccls.	USPAT	2003/12/31 09:28
-	241	372/59.ccls.	USPAT	2003/12/31 10:08